

**STRUCTURED
CLINICAL
INTERVIEW
FOR
DSM-IV AXIS II
PERSONALITY DISORDERS**

SCID-II

Michael B. First, M.D.
Miriam Gibbon, M.S.W.
Robert L. Spitzer, M.D.
Janet B. W. Williams, D.S.W.
Lorna Smith Benjamin, Ph.D.

STRUCTURED CLINICAL INTERVIEW
FOR DSM-IV AXIS I PERSONALITY DISORDERS

SCID-II

Michael B. First, M.D.
Miriam Gibbon, M.S.W.
Robert L. Spitzer, M.D.
Janet B. W. Williams, D.S.W.

Biometrics Research Department
New York State Psychiatric Institute
Department of Psychiatry
Columbia University
New York, New York

Lorna Smith Benjamin, Ph.D.
Department of Psychology
University of Utah
Salt Lake City, Utah

Study: _____ Study No.: _____

Subject: _____ ID No.: _____

Interviewer: SR Subell Puz Interviewer No.: _____

Date of interview: 11 30 2011
Month Day Year

Sources of information
(check all that apply):

- ☒ Subject
- ☐ Family/friends/associates
- ☐ Health professional/chart/referral note
- ☐ SCID-II Personality Questionnaire

Edited and checked by: SR Date: 30 Nov 2011

1
2
3
4
5
6
7
8

Books published by the American Psychiatric Press, Inc., represent the views and opinions of the individual authors and do not necessarily represent the policies and opinions of the Press or the American Psychiatric Association.

Copyright © 1997 Michael B. First, Miriam Gibbon, Robert L. Spitzer, Janet B. W. Williams, and Lorna Smith Benjamin

ALL RIGHTS RESERVED. No part of this instrument may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, or by any information storage or retrieval system, without permission in writing from the publisher.

Manufactured in the United States of America on acid-free paper

00 99 98 97 4 3 2 1

American Psychiatric Press, Inc.

1400 K Street, N.W., Washington, DC 20005

ISBN 0-88048-811-5

For citation: First MB, Gibbon M, Spitzer RL, Williams JBW, Benjamin LS: Structured Clinical Interview for DSM-IV Axis II Personality Disorders (SCID-II). Washington, DC, American Psychiatric Press, 1997. Copyright © 1997 Michael B. First, Miriam Gibbon, Robert L. Spitzer, Janet B. W. Williams, Lorna Smith Benjamin.

DSM-IV criteria are used with permission from American Psychiatric Association: *Diagnostic and Statistical Manual of Mental Disorders*, 4th Edition. Washington, DC, American Psychiatric Association, 1994. Copyright © 1994 American Psychiatric Association.

Available From American Psychiatric Press:

Structured Clinical Interview for DSM-IV Axis II Personality Disorders (SCID-II)

- User's Guide (order #8810)

The User's Guide contains detailed instructions for administering the SCID-II. It contains sections describing the rationale and structure of the SCID-II and a detailed item-by-item commentary. A sample case is also included to help clinicians learn to use the SCID-II.

- Packet of five Interviews and five Questionnaires (order #8811)

The single-use Interview contains the interview questions and provides space for recording diagnostic decisions and descriptive information. At the conclusion of the Interview, the clinician completes the Summary Scoresheet and computes a dimensional score for each personality disorder. The single-use Personality Questionnaire to be completed by the patient can be used as a screening tool to shorten the Interview. It is bound separately, but sold only with the Interview booklet.

- SET of User's Guide + Packet of five Interviews & five Questionnaires (order #8812)

The development of SCID was supported in part by NIMH Contract 278-83-0007 (DB) and NIMH Grant 1 RO1 MH40511-01.

SCID-II SUMMARY SCORESHEET

Overall quality and completeness of information:

1 = poor, 2 = fair, 3 = good, 4 = excellent

Duration of interview (minutes) 55

9

10

Personality Disorder

Number of Items Coded "3"

(Boxed numbers indicate threshold required for a diagnosis.)

01 Avoidant (pp. 3-4)	<u>1</u>	2	3	<u>4</u>	5	6	7			11
02 Dependent (pp. 5-7)	<u>1</u>	2	3	4	<u>5</u>	6	7	8		12
03 Obsessive-Compulsive (pp. 8-10)	<u>1</u>	2	3	<u>4</u>	5	6	7	8		13
04 Passive-Aggressive (pp. 11-12)	<u>1</u>	2	3	<u>4</u>	5	6	7			14
05 Depressive (pp. 13-14)	1	2	3	4	<u>5</u>	6	7			15
06 Paranoid (pp. 15-16)	<u>1</u>	2	3	<u>4</u>	5	6	7			16
07 Schizotypal (pp. 17-20)	1	2	3	4	<u>5</u>	6	7	8	9	17
08 Schizoid (pp. 21-22)	1	2	3	<u>4</u>	5	6	7			18
09 Histrionic (pp. 23-24)	<u>1</u>	2	3	4	<u>5</u>	6	7	8		19
10 Narcissistic (pp. 25-28)	<u>1</u>	2	3	4	<u>5</u>	6	7	8	9	20
11 Borderline (pp. 29-32)	1	2	3	4	<u>5</u>	6	7	8	9	21
12 Antisocial (pp. 33-40)	1	2	<u>3</u>	4	5	6	7			22
13 Not Otherwise Specified (NOS) (p. 41)	<u>1</u>									23

PRINCIPAL AXIS II DIAGNOSIS (i.e., the Personality Disorder that is—or should be—the main focus of clinical attention).

Enter code number from left of diagnosis above:

Note: Enter 99 if no Axis II disorder.

24

12:40 — 13:34


OVERVIEW FOR PERSONALITY DISORDERS

Now I am going to ask you some questions about the kind of person you are—that is, how you generally have felt or behaved.

IF A CIRCUMSCRIBED OR EPISODIC AXIS I DISORDER HAS BEEN PRESENT: I know that there have been times when you have been [AXIS I SYMPTOMS]. I am not talking about those times; you should try to think of how you *usually* are when you are not [AXIS I SYMPTOMS]. Do you have any questions about this?



IF CAN'T ANSWER, MOVE ON.



→ IF PERSONALITY QUESTIONNAIRE HAS BEEN COMPLETED: Now I want to go over the questions to which you answered “yes” on the questionnaire.

→ IF PERSONALITY QUESTIONNAIRE HAS NOT BEEN COMPLETED: Now I want to ask you some more specific questions.

AVOIDANT PERSONALITY DISORDER**AVOIDANT PERSONALITY DISORDER CRITERIA**

A pervasive pattern of social inhibition, feelings of inadequacy, and hypersensitivity to negative evaluation, beginning by early adulthood and present in a variety of contexts, as indicated by four (or more) of the following:

? 1 2 3 25

? 1 2 3 26

? 1 2 3 27

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

? 1 2 3 28

5. ? 1 2 3 29

6. ? 1 2 3 30

7. ? 1 2 3 31

AT LEAST FOUR ITEMS ARE
CODED "3"

1 3 32

**AVOIDANT
PERSONALITY
DISORDER**

? = inadequate information 1 = absent or false 2 = subthreshold 3 = threshold or true

DEPENDENT
PERSONALITY DISORDERDEPENDENT
PERSONALITY DISORDER
CRITERIA

A pervasive and excessive need to be taken care of that leads to submissive and clinging behavior and fears of separation, beginning by early adulthood and present in a variety of contexts, as indicated by five (or more) of the following:

8.

? P 2 3

33



9.

P 2 3

34

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

10. ? ① 2 3 35

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

11. ? ① 2 3 36

12. ? ① 2 3 37

[REDACTED]

[REDACTED]

13. ? ① 2 3 38

14.

? 1 2 3 39



15.

? 1 2 3 40

AT LEAST FIVE ITEMS ARE
CODED "3"1 3
↓

41

**DEPENDENT
PERSONALITY
DISORDER**

**OBSESSIVE-COMPULSIVE
PERSONALITY DISORDER**
**OBSESSIVE-COMPULSIVE
PERSONALITY DISORDER
CRITERIA**

A pervasive pattern of preoccupation with orderliness, perfectionism, and mental and interpersonal control, at the expense of flexibility, openness, and efficiency, beginning by early adulthood and present in a variety of contexts, as indicated by four (or more) of the following:

16.  ? 0 2 3 42





17.  ? 1 2 3 43







? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

18.

? 1 2 3

44

19.

? 1 2 3

45

20.

? 1 2 3

46

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

21.

? ① 2 3 47

[REDACTED]

[REDACTED]

22.

? ① 2 3 48

[REDACTED]

23.

? ① 2 3 49

[REDACTED]

24.

[REDACTED]

[REDACTED]

AT LEAST FOUR ITEMS ARE
CODED "3"

① 3 50

**OBSESSIVE-
COMPULSIVE
PERSONALITY
DISORDER**

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

PASSIVE-AGGRESSIVE
PERSONALITY DISORDERPASSIVE-AGGRESSIVE
PERSONALITY DISORDER
CRITERIA

A pervasive pattern of negativistic attitudes and passive resistance to demands for adequate performance, beginning by early adulthood and present in a variety of contexts, as indicated by four (or more) of the following:

25. ? 1 2 3 51



26.



27. ? 1 2 3 52



28. ? 1 2 3 53



29. ? ① 2 3 54

30. ? ① 2 3 55

31. ? 1 ② 3 56

32. ? ① 2 3 57

AT LEAST FOUR ITEMS ARE
CODED "3"

① 3
↓

**PASSIVE-
AGGRESSIVE
PERSONALITY
DISORDER**

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

DEPRESSIVE PERSONALITY DISORDER

DEPRESSIVE PERSONALITY DISORDER CRITERIA

Note: The DSM-IV criterion excludes a diagnosis of Depressive Personality Disorder if the behavior occurs only during Major Depressive Episodes or is better accounted for by Dysthymic Disorder. Refer to the User's Guide for a discussion of options for operationalizing this criterion.

A pervasive pattern of depressive cognitions and behaviors, beginning by early adulthood and present in a variety of contexts, as indicated by five (or more) of the following:

33.	?	1	2	3	59
34.	?	1	2	3	60
35.	?	1	2	3	61
36	?	1	2	3	62

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

37.

? 1 2 3

63

38.

39.

? 1 2 3

64

40.

? 1 2 3

65

AT LEAST FIVE ITEMS ARE
CODED "3"

1

3



66

**DEPRESSIVE
PERSONALITY
DISORDER**

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

PARANOID PERSONALITY DISORDER**PARANOID PERSONALITY DISORDER CRITERIA**

Note: Behavior should NOT be considered characteristic of Paranoid Personality Disorder if it occurs exclusively during the course of Schizophrenia, a Mood Disorder With Psychotic Features, or another Psychotic Disorder or is due to the direct physiological effects of a general medical condition.

A pervasive distrust and suspiciousness of others such that their motives are interpreted as malevolent, beginning by early adulthood and present in a variety of contexts, as indicated by four (or more) of the following:

42.

? (1) 2 3 67

43.

? (1) 2 3 69

44.

? (1) 2 3 70

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

45.

? (1) 2 3

71



46.



47.

? (1) 2 3

72



48.

? 1 (2) 3

73



AT LEAST FOUR ITEMS ARE
CODED "3"

(1) 3
↓

74

**PARANOID
PERSONALITY
DISORDER**

? = inadequate information 1 = absent or false 2 = subthreshold 3 = threshold or true

SCHIZOTYPAL PERSONALITY DISORDER

Note: Behavior should NOT be considered characteristic of Schizotypal Personality Disorder if it occurs exclusively during the course of Schizophrenia, a Mood Disorder With Psychotic Features, another Psychotic Disorder, or a Pervasive Developmental Disorder.

SCHIZOTYPAL PERSONALITY DISORDER CRITERIA

A pervasive pattern of social and interpersonal deficits marked by acute discomfort with, and reduced capacity for, close relationships as well as by cognitive or perceptual distortions and eccentricities of behavior, beginning by early adulthood and present in a variety of contexts, as indicated by five (or more) of the following:

- | | | | | | |
|-----|---|---|---|---|----|
| 49. | ? | 1 | 2 | 3 | 75 |
| 50. | | | | | |
| 51. | | | | | |

52.

? 1 2 3

76

53.

54.

55.

? 1 2 3

77

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

56.

57.

? 1 2 3 78

? 1 3 79

? 1 2 3 80

? 1 2 3 81

58.

? 1 2 3 82

59. " "

? 1 2 3 83

AT LEAST FIVE ITEMS ARE
CODED "3"

1 3 84



**SCHIZOTYPAL
PERSONALITY
DISORDER**

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

SCHIZOID PERSONALITY DISORDER**SCHIZOID PERSONALITY DISORDER CRITERIA**

Note: Behavior should NOT be considered characteristic of Schizoid Personality Disorder if it occurs exclusively during the course of Schizophrenia, a Mood Disorder With Psychotic Features, another Psychotic Disorder, or a Pervasive Developmental Disorder or is due to the direct physiological effects of a general medical condition.

A pervasive pattern of detachment from social relationships and a restricted range of expression of emotions in interpersonal settings, beginning by early adulthood and present in a variety of contexts, as indicated by four (or more) of the following:

60.	?	1	2	3	85
61.	?	1	2	3	86
62.	?	1	2	3	87

63.

? 1 2 3

88

64.

? 1 2 3

89

? 1 2 3

90

65.

? 1 2 3

91

AT LEAST FOUR ITEMS ARE
CODED "3"

1 3



92

**SCHIZOID
PERSONALITY
DISORDER**

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

HISTRIONIC PERSONALITY
DISORDERHISTRIONIC PERSONALITY
DISORDER CRITERIA

A pervasive pattern of excessive emotionality and attention seeking, beginning by early adulthood and present in a variety of contexts, as indicated by five (or more) of the following:

66.



? 1 2 3

93

67.



? 1 2 3

94

68.

OBSERVED DURING
INTERVIEW

? 1 2 3

95

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

69.

? 1 2 3

96



70.

? 1 2 3

98



71.

? 1 2 3

99



72.

? 1 2 3

100



AT LEAST FIVE ITEMS ARE
CODED "3"

(1) 3
↓

101

**HISTRIONIC
PERSONALITY
DISORDER**

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

NARCISSISTIC
PERSONALITY DISORDERNARCISSISTIC
PERSONALITY
DISORDER CRITERIA

A pervasive pattern of grandiosity (in fantasy or behavior), need for admiration, and lack of empathy, beginning by early adulthood and present in a variety of contexts, as indicated by five (or more) of the following:

73.

? 1 2 3

102



74.



75.

? 1 2 3

103



76.



? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

77.

? 1 2 3

104

78.

79.

? 1 2 3

105

80.

? 1 2 3

106

81.

82.

? 1 2 3

107

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

83.



84.



85.

? ① 2 3

108



86.




87.

? 1 2 ③

109



88.



? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

89.

? ① 2 3 110



AT LEAST FIVE ITEMS ARE
CODED "3"

①

3

111

**NARCISSISTIC
PERSONALITY
DISORDER**

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

**BORDERLINE
PERSONALITY DISORDER****BORDERLINE
PERSONALITY
DISORDER CRITERIA**

A pervasive pattern of instability of interpersonal relationships, self-image, and affects and marked impulsivity, beginning by early adulthood and present in a variety of contexts, as indicated by five (or more) of the following:

90. ? 1 2 3 112

91. ? 1 2 3 113

92.

? 1 2 3

114

93.

94.

95.

96.

? 1 2 3

115

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

97.	?	1	2	3	116
-----	---	---	---	---	-----

98.					
-----	--	--	--	--	--

99	?	1	2	3	117
----	---	---	---	---	-----

100.	?	1	2	3	118
------	---	---	---	---	-----

101.	?	1	2	3	119
------	---	---	---	---	-----

? = inadequate information 1 = absent or false 2 = subthreshold 3 = threshold or true

102.

103.

104.

? 1 2 3

120

AT LEAST FIVE ITEMS ARE
CODED "3"

1 3

121

**BORDERLINE
PERSONALITY
DISORDER**

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

ANTISOCIAL PERSONALITY DISORDER

ANTISOCIAL PERSONALITY DISORDER CRITERIA

Note: Behavior should NOT be considered characteristic of Antisocial Personality Disorder if it occurs exclusively during the course of Schizophrenia or a Manic Episode.

B. The individual is at least age 18 years.

? 1 2 3

122

C. There is evidence of Conduct Disorder with onset before age 15 years [as evidenced by at least two of the following:]

105.

? 1 2 3

123

106.

? 1 2 3

124

107.

? 1 2 3

125

108.

? 1 2 3

126

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

109. Y	?	1	2	3	127
1					
0					
0					
0					
1					
110. Y	?	1	2	3	128
1					
1					
1					
1					
111.	?	1	2	3	129
112.	?	1	2	3	130
113.	?	1	2	3	131
114.	?	1	2	3	132

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

115. v.	?	1	2	3	133
---------	---	---	---	---	-----

116. y	?	1	2	3	134
--------	---	---	---	---	-----

117.	?	1	2	3	135
------	---	---	---	---	-----

118.	?	1	2	3	136
------	---	---	---	---	-----

? = inadequate information 1 = absent or false 2 = subthreshold 3 = threshold or true

119.

? 1 2 3 137

AT LEAST TWO ITEMS ARE
CODED "3" (i.e., "some" evi-
dence of Conduct Disorder)

1 3 138

**CRITERION C
OF ANTISOCIAL
PERSONALITY
DISORDER MET;
CONTINUE
ON NEXT PAGE**

**GO TO
PERSONALITY
DISORDER NOT
OTHERWISE
SPECIFIED,
PAGE 41**

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

? 1 2 3 139

? 1 2 3 140

? 1 2 3 141

? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true

142

?	1	2	3	143
---	---	---	---	-----

? = inadequate information 1 = absent or false 2 = subthreshold 3 = threshold or true

? 1 2 3 | 144

?	1	2	3	145
---	---	---	---	-----

? = inadequate information 1 = absent or false 2 = subthreshold 3 = threshold or true

AT LEAST THREE ITEMS ARE
CODED "3"

1 3 146
↓

**CRITERION A OF
ANTISOCIAL
PERSONALITY
DISORDER MET**

CRITERIA A, B, AND C ARE
CODED "3"

1 3 147
↓

**ANTISOCIAL
PERSONALITY
DISORDER**

? = inadequate information


1 = absent or false

2 = subthreshold

3 = threshold or true

**PERSONALITY
DISORDER NOT
OTHERWISE SPECIFIED**

This category is for disorders of personality functioning that do not meet criteria for any specific personality disorder. An example is the presence of features of more than one specific personality disorder that do not meet the full criteria for any one personality disorder ("mixed personality") but that together cause clinically significant distress or impairment in one or more important areas of functioning (e.g., social or occupational). This category can also be used when the clinician judges that a specific personality disorder that is not included in the classification (e.g., self-defeating personality disorder) is appropriate.



? = inadequate information

1 = absent or false

2 = subthreshold

3 = threshold or true